

2 Pin Surface Mount Schottky Diodes

Search:

Device	Device Markin g	V R (V)	I F (mA )	VF Max(V )	VF I F (mA)	IR Max(μA )	IR V R (V)	Styl e	Package	PDF Datashee t
<a href="#">WSD520BS-40</a>	D1	40	0.2	0.39	0.01	1	10	-	SOD-882	<a href="#">datasheet</a>
<a href="#">WSD551BS</a>	X	30	0.5	0.36	0.1	100	10	-	SOD-882	<a href="#">datasheet</a>
<a href="#">WSD520S-40</a>	D	40	0.2	0.39	0.01	1	10	-	SOD-523	<a href="#">datasheet</a>
<a href="#">WSD521BS-40</a>	T	40	0.2	0.35	0.01	10	10	-	SOD-882	<a href="#">datasheet</a>
<a href="#">WSD751S</a>	5	40	0.03	0.37	0.001	0.5	30	-	SOD-523	<a href="#">datasheet</a>
<a href="#">WSD751D</a>	5	30	0.03	0.37	0.001	0.5	30	-	SOD-923	<a href="#">datasheet</a>
<a href="#">WSD751G</a>	5	30	0.03	0.37	0.001	0.5	30	-	SOD-723	<a href="#">datasheet</a>
<a href="#">WSD751H</a>	5E	30	0.03	0.37	0.001	0.5	30	-	SOD-323	<a href="#">datasheet</a>
<a href="#">WSD751BS</a>	5	30	0.03	0.37	0.001	0.5	30	-	SOD-882	<a href="#">datasheet</a>
<a href="#">WSD520D</a>	E	30	0.1	0.45	0.01	0.5	10	-	SOD-923	<a href="#">datasheet</a>
<a href="#">WSD520G</a>	E	30	0.1	0.45	0.01	0.5	10	-	SOD-723	<a href="#">datasheet</a>
<a href="#">WSD521D</a>	F	30	0.1	0.35	0.01	10	10	-	SOD-923	<a href="#">datasheet</a>
<a href="#">WSD521G</a>	F	30	0.1	0.35	0.01	10	10	-	SOD-723	<a href="#">datasheet</a>

Device	Device Markin g	V R (V)	I F (mA )	VF Max(V )	VF I F (mA)	IR Max(μA )	IR V R (V)	Styl e	Package	PDF Datashee t
<a href="#">WSD521BS</a>	F	30	0.1	0.35	0.01	10	10	-	SOD-882	<a href="#">datasheet</a>
<a href="#">WSD520BS</a>	L	30	0.1	0.45	0.01	0.5	10	-	SOD-882	<a href="#">datasheet</a>
<a href="#">BAT54XV2</a>	JV	30	0.2	0.4	0.01	2	25	-	SOD-523	<a href="#">datasheet</a>
<a href="#">WSD520S</a>	B	30	0.2	0.6	0.2	1	10	-	SOD-523	<a href="#">datasheet</a>
<a href="#">WSD521S</a>	C	30	0.2	0.5	0.2	30	10	-	SOD-523	<a href="#">datasheet</a>
<a href="#">WSD521S-40</a>	S	40	0.2	0.3	0.01	20	10	-	SOD-523	<a href="#">datasheet</a>
<a href="#">BAT54H</a>	JV	30	0.2	0.4	0.01	2	25	-	SOD-323	<a href="#">datasheet</a>
<a href="#">BAT54BS</a>	JV	30	0.2	0.24	0.0001	2	25	-	SOD-882	<a href="#">datasheet</a>
<a href="#">SD103CW</a>	S6	20	0.35	0.6	0.2	5	30	-	SOD-123	<a href="#">datasheet</a>
<a href="#">SD103BW</a>	S5	30	0.35	0.6	0.2	5	30	-	SOD-123	<a href="#">datasheet</a>
<a href="#">SD103AW</a>	S4	40	0.35	0.6	0.2	5	30	-	SOD-123	<a href="#">datasheet</a>
<a href="#">B0520W</a>	B2	20	0.5	0.385	0.5	250	20	-	SOD-123	<a href="#">datasheet</a>
<a href="#">WSD551H</a>	D	20	0.5	0.36	0.1	100	20	-	SOD-323	<a href="#">datasheet</a>
<a href="#">B0520F</a>	052	20	0.5	0.43	0.5	250	20	-	SOD-123FL	<a href="#">datasheet</a>
<a href="#">B0530W</a>	B3	30	0.5	0.45	0.5	20	15	-	SOD-123	<a href="#">datasheet</a>

Device	Device Marking	V <sub>R</sub> (V)	I <sub>F</sub> (mA)	V <sub>F</sub> Max(V)	V <sub>F</sub> I <sub>F</sub> (mA)	I <sub>R</sub> Max(μA)	I <sub>R</sub> V <sub>R</sub> (V)	Style	Package	PDF Datasheet
<a href="#">B0530F</a>	53	30	0.5	0.45	0.5	130	30	-	SOD-123FL	<a href="#">datasheet</a>
<a href="#">B0540W</a>	B4	40	0.5	0.55	0.5	10	20	-	SOD-123	<a href="#">datasheet</a>
<a href="#">B0540F</a>	54	40	0.5	0.55	0.5	40	40	-	SOD-123FL	<a href="#">datasheet</a>
<a href="#">B120E</a>	12	20	1	0.55	1	250	20	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B130E</a>	13	30	1	0.55	1	130	30	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B140E</a>	14	40	1	0.55	1	20	40	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B150E</a>	15	50	1	0.7	1	20	50	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B160E</a>	16	60	1	0.7	1	20	60	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B180E</a>	18	80	1	0.85	1	20	80	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B1100E</a>	110	100	1	0.85	1	20	100	-	SOD-323HE	<a href="#">datasheet</a>
<a href="#">B1150E</a>	115	150	1	0.9	1	20	150	-	SOD-323HE	<a href="#">datasheet</a>

Device	Device Markin g	V R (V)	I F (mA )	VF Max(V )	VF I F (mA)	IR Max(μA )	IR V R (V)	Styl e	Package	PDF Datashee t
<a href="#">B1200E</a>	120	200	1	0.92	1	20	200	-	SOD-323H E	<a href="#">datasheet</a>
<a href="#">B120F</a>	12	20	1	0.5	1	500	20	-	SOD-123FL	<a href="#">datasheet</a>
<a href="#">B130F</a>	13	30	1	0.5	1	500	30	-	SOD-123FL	<a href="#">datasheet</a>
<a href="#">B140F</a>	14	40	1	0.55	1	500	40	-	SOD123-FL	<a href="#">datasheet</a>
<a href="#">B150F</a>	15	50	1	0.7	1	500	50	-	SOD123-FL	<a href="#">datasheet</a>
<a href="#">B160F</a>	16	60	1	0.7	1	500	60	-	SOD123-FL	<a href="#">datasheet</a>
<a href="#">B180F</a>	18	80	1	0.85	1	500	80	-	SOD123-FL	<a href="#">datasheet</a>
<a href="#">B1100F</a>	110	100	1	0.85	1	500	100	-	SOD123-FL	<a href="#">datasheet</a>
<a href="#">B1150F</a>	115	150	1	0.9	1	500	150	-	SOD123-FL	<a href="#">datasheet</a>
<a href="#">B1200F</a>	120	200	1	0.92	1	500	200	-	SOD123-FL	<a href="#">datasheet</a>

Showing 1 to 49 of 49 entries